



Circular Letter No.: 2016.135

Issue Date: 16 November 2016

Application: BEAM Plus NB Version 1.1 & 1.2  
BEAM Plus EB Version 1.1 & 1.2

Effective Date: 11 December 2016

**EU 1 Reduction of CO<sub>2</sub> Emission and EU 2 Peak Electricity Demand Reduction**

This Circular Letter announces that for those projects commencing BEAM Plus Provisional Assessment (PA) on and after 11 December 2016, the Applicant shall follow the “Code of Practice for Energy Efficiency of Building Services Installation 2015” (BEC 2015 in short) in the baseline energy simulation model adopted under EU 1 and EU 2.

To compensate for the more stringent requirements of BEC 2015, a revised set of credit scores will be adopted for projects assessed under BEC 2015 as provided in the Annex of this Circular Letter.

A handwritten signature in blue ink, appearing to read "Kenneth Chan", is positioned above a horizontal line.

---

Sr. Kenneth CHAN Jor Kin  
Chairperson of Technical Review Committee

## EU 1

<b>Credit</b>	<b>(a) Commercial and Hotel Buildings</b>	<b>(b) Education Buildings</b>	<b>(c) Residential Buildings</b>	<b>(d) Other Building Types</b>
0	<1%	<1%	<2%	<1%
1	-	-	2%	-
2	-	-	3%	1%
3	1%	-	4%	2%
4	3%	1%	5%	3%
5	5%	2%	6%	4%
6	8%	4%	7%	5%
7	11%	6%	8%	6%
8	14%	8%	9%	7%
9	17%	10%	10%	8%
10	20%	12%	11%	9%
11	23%	14%	12%	11%
12	27%	16%	13%	13%
13	31%	19%	15%	15%
14	35%	22%	17%	17%
15	39%	25%	19%	19%

## EU 2

<b>Credit</b>	<b>(a) Commercial and Hotel Buildings</b>	<b>(b) Education Buildings and Residential Buildings</b>	<b>(c) Other Building Types</b>
0	<11%	<2%	<7%
1	11%	2%	7%
2	19%	6%	11%
3	26%	9%	14%